

## Hot cupboard 700, W1400



### Description

### Features

- Height adjustable: 850 mm to 900 mm
- Tilting: -
- Material work surface: Stainless steel
- Size work surface: W 1400 x D 700 mm
- Power load: 2 kW | 230 V | 50/60 Hz
- Height-adjustable feet: Yes
- Control unit: Electronic Toggle
- Control lamp: yes
- ON/OFF switch: Yes
- Number of doors: 2
- Number of intermediate shelves: 1
- Design intermediate shelf: Full-surface
- Design inside: 2-partitions
- Properties: 40 mm edges turned down  
Feet in square tubing 40 x 40 mm  
Scotch-Brite sanding

▶ Continue on the next page

## Hot cupboard 700, W1400

- Material: Stainless steel
- Important information: -
- Height-adjustable immediate shelves: No
- Load-bearing capacity worktop, max.: 210 kg
- Size inside: W 1255 x D 620 x H 580 mm
- Temperature control: Stepless
- Delivery state: Permanently mounted
- Load-bearing capacity intermediate shelf, max.: 140 kg
- Temperature range: 20 °C to 80 °C
- Type of door: Sliding door(s)  
Single-sided
- Available on request: Special production  
The list price corresponds to the next higher standard dimension
- Size: W 1,400 x D 700 x H 850 mm
- Weight: 86 kg



## Hot cupboard 700, W1400

### Add on Products

#### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5

Code-No. 173078  
GTIN 4015613731926

#### Swivel castors 4AW



- Swivel castors: 4 swivel castors, 2 with brake
- Important information: -
- Diameter castors: 125 mm
- Load-bearing capacity max., each: 150 kg
- Material: Stainless steel  
Rubber

Code-No. 308242  
GTIN 4015613600307