

## Hot cupboard 700, W1400, SB



### Description

### Features

- Available on request: Special production
- Height adjustable: The list price corresponds to the next higher standard dimension
- Tilting: 850 mm to 900 mm
- Material work surface: 40 mm
- Size work surface: Stainless steel
- Power load: W 1400 x D 700 mm
- Height-adjustable feet: 2 kW | 230 V | 50/60 Hz
- Control unit: Yes
- Control lamp: Electronic
- ON/OFF switch: Toggle
- Number of doors: yes
- Number of intermediate shelves: Yes
- Design intermediate shelf: 2
- Design inside: 1
- Properties: Full-surface
- Properties: 2-partitions
- Properties: 40 mm edges turned down

▶ Continue on the next page

## Hot cupboard 700, W1400, SB

- Properties:
    - Feet in square tubing 40 x 40 mm
    - Scotch-Brite sanding
    - Stainless steel
  - Material:
    -
  - Important information:
    - No
  - Height-adjustable immediate shelves:
    - 210 kg
  - Load-bearing capacity worktop, max.:
    - W 1255 x D 620 x H 580 mm
  - Size inside:
    - Stepless
  - Temperature control:
    - Permanently mounted
  - Delivery state:
    - 210 kg
  - Load-bearing capacity intermediate shelf, max.:
    - 20 °C to 80 °C
  - Temperature range:
    - Sliding door(s)
  - Type of door:
    - Single-sided
- 
- Size:
    - W 1,400 x D 700 x H 850 mm
  - Weight:
    - 86.4 kg



## Hot cupboard 700, W1400, SB

### Add on Products

#### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5

Code-No. 173078  
GTIN 4015613731926

#### Swivel castors 4AW



- Swivel castors: 4 swivel castors, 2 with brake
- Important information: -
- Diameter castors: 125 mm
- Load-bearing capacity max., each: 150 kg
- Material: Stainless steel  
Rubber

Code-No. 308242  
GTIN 4015613600307