

## Built-in induction cooker IK 30S-EB



### Description

Installable, space-saving induction hob with hobs behind each other and a full Schott-Ceran surface.

### Features

- |                                   |                                      |
|-----------------------------------|--------------------------------------|
| • Arrangement of the hobs:        | Behind each other                    |
| • Power load:                     | 3 kW   230 V   50 Hz                 |
| • Equipment connection:           | Pluggable                            |
| • Control unit:                   | Electronic                           |
|                                   | Touch                                |
| • Number of hobs:                 | 2                                    |
| • Type of hobs:                   | Induction                            |
| • Overheating protection:         | Yes                                  |
| • Digital display:                | Yes                                  |
| • ON/OFF switch:                  | Yes                                  |
| • Colour:                         | Black                                |
| • Can be installed:               | Yes                                  |
| • Lock button (child protection): | Yes                                  |
| • Number of output levels:        | 8                                    |
| • Properties:                     | Can also be used as a table-top unit |
| • Regulation of:                  | Output                               |
|                                   | Time                                 |

▶ Continue on the next page

#### ▶ Output:

- ✓ Total output: 3 kW
- ✓ Output of hobs in single operation: front 1.3 kW / rear 1.8 kW


#### ▶ Hob surface material: Schott Ceran



#### ▶ Can be fitted



#### ▶ Can also be used as a table-top unit



#### ▶ Lock button (child protection)

## Built-in induction cooker IK 30S-EB

- Material: Plastic
- Material hob: SCHOTT CERAN®
- Important information: -
- Output hob front max.: 1300 W
- Output hob rear max.: 1800 W
- Time adjustment: 0 to 99 minutes
- Intervals time setting: 1 minute(s)
- Diameter hob front: 180 mm
- Diameter hob rear: 180 mm
- Size cerane surface: W 510 x D 290 mm
- Pot recognition: Yes
- Control lamp: -
- Core temperature sensor: No
- Size: W 290 x D 510 x H 83 mm
- Weight: 4.5 kg



## Built-in induction cooker IK 30S-EB

### Add on Products

#### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5

Code-No. 173078  
GTIN 4015613731926