

## Cupboard, W2000, SB, SID, IS



#### Description

#### Features

Height-adjustable feet: Yes
 Material: Stainless steel
 Load-bearing capacity intermediate shelf, max.: 70 kg
 Important information: -

• Tilting: 40 mm

• Size inside: W 1997 x D 620 x H 580 mm

Load-bearing capacity worktop, max.:
 Design inside:
 Available on request:
 210 kg
 2-partitions
 Special production

The list price corresponds to the next higher standard dimension

Size work surface: W 2000 x D 700 mm
 Door hinge side can be changed: No

Door hinge side can be changed:

 Height adjustable:
 Material work surface:
 Delivery state:
 Type of door:
 Design intermediate shelf:

 No
 Sto mm to 900 mm
 Stainless steel
 Permanently mounted
 Sliding door(s)
 Full-surface

▶ Continue on the next page







# Cupboard, W2000, SB, SID, IS

• Intermediate shelf:

• Size: • Weight:

• Height-adjustable immediate shelves:

Properties:

40 mm edges turned down Feet in square tubing 40 x 40 mm

Scotch-Brite sanding
W 2,000 x D 700 x H 850 mm

103.8 kg







### Cupboard, W2000, SB, SID, IS Add on Products

### Stainl.steel polish.spray 500ml can

• Content / can:

· Application:

Remove heavy soiling such as grease residue

Do not spray onto hot surfaces

• allow them to cool down first:

· Application:

Before use, bring the can to room temperature and shake well

### **Swivel castors 4AW**



Swivel casters: 4 swivel casters, 2 with brake

• Important information:

• Diameter casters: 125 mm • Load-bearing capacity max., each: 150 kg

• Material: Stainless steel

Rubber

Code-No. 308242 GTIN 4015613600307

### Power cleaner F1L, set of 2



• Designed for: Stubborn dirt, especially in kitchens

Grill and combi steamer cleaning (without

cleaning system)

• Content:

2 x 1 litre

• Model:

Liquid

• Ph level:

. High concentrate 13,5

Code-No. 173078 GTIN 4015613731926