



▶ Up to 5 x 1/1 GN or 600 x 400 mm



▶ Easy to operate – toggle



▶ Double door glazing, inner door can be opened easily for cleaning



▶ Vapour extractor is easy to regulate



▶ Bearing rails can be detached



▶ Fan speed, 2 levels

▶ From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar.


- Equipment connection: 3 NAC
- Power load: 6,3 kW | 400 V | 50 Hz
- Temperature range: 50 °C to 280 °C
- Control unit: Toggle
- Fan speed: 2 levels
- Type of drawers: Crosswise
- Number of drawers: 5
- Distance between trays: 74 mm
- Time adjustment: 0 to 120 minutes
- Number of cooking phases: 1
- Number of cooking programs: 1
- Water connection: 3/4"
- LED display: Steaming
Core temperature
Temperature
Time
- Series: M
- Temperature control: Stepless
- Interior lighting: Yes
- Operating mode: Electro
- Material: CNS 18/10
- With cleaning system: No
- Control lamp: ON/OFF
Temperature
- Continuous operation: Yes
- Vapour extractor: Yes
- Functions: Circulating air
Steam
Combi-steaming
- Functions: Low temperature cooking
Reversing motor direction (fan wheels)
Steam production by means of direct injection
- Format drawers: 1/1 GN
600 x 400 mm
- Including: 1 tray 1/1 GN
1 grille 1/1 GN
1 PVC drainpipe
1 water supply hose
- Important information: From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar
- Available on request: -
- Number of motors: 1
- Material cooking chamber: Chrome-nickel steel
- USB connection: -
- Core temperature sensor connection: Side
- Properties: Rounded baking chamber
Bearing rails can be detached
Double-winged door pane
Socket (500 W) for connection of an extractor hood
- Rack control: No
- Size: W 890 x D 815 x H 635 mm
- Weight: 81.8 kg

Combi steamer M 5110

Add on Products

Guiding rails 5x 600x400, pair

CNS 18/10



- Format drawers: 600 x 400 mm
- Number of drawers: 5
- Important information: -
- Material: CNS 18/10
- Size: W 360 x D 390 x H 60 mm
- Weight: 1.9 kg

Code-No. 116001
GTIN 4015613583464

Base unit Silversteam 110

CNS 18/10



- Number of drawers: 10
- Colour: Silver
- Format drawers: 1/1 GN
- Height-adjustable feet: Yes
- Base shelf: No
- Material: CNS 18/10
- Important information: -
- Height adjustable: 741 mm to 790 mm
- Type of drawers: Longitudinal
- Size: W 850 x D 700 x H 741 mm
- Weight: 25 kg

Code-No. 115069
GTIN 4015613602486

Pressure regulator for steamers



- Water pressure: 1 - 6 bar (preset to 3 bar)
- Connection: 3/4"
- Operating temperature max.: 65 °C
- Incoming pressure max.: 16 bar
- Material: Brass
Chrome-plated
- Important information: -
- Size: W 95 x D 75 x H 50 mm
- Weight: 0.4 kg

Code-No. 533051
GTIN 4015613468617

Core temperature sensor set

STAINLESS STEEL



- Set comprises: 1 core temperature sensor
1 holder
- Length cable: 1,8 m
- Material temperature sensor: Stainless steel
- Important information: -
- Size: W 180 x D 265 x H 25 mm
- Weight: 0.57 kg

Code-No. 116009
GTIN 4015613595139

Combi steamer M 5110

Add on Products

Hand shower f. combi steamer



- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Important information: -
- Water connection: 1/2"
- Material: Plastic
Metal
- Size: W 2,160 x D 75 x H 30 mm
- Weight: 1 kg

Code-No. 116005
GTIN 4015613587189

Grill plate



- Gastronorm: 1/1 GN
- Roasting surface design: Diamond patterned
- With juice groove: Yes
- Material: Cast aluminium
- Important information: -
- Size: W 530 x D 325 x H 15 mm
- Weight: 2.8 kg

Code-No. 106576
GTIN 4015613660783


Pump set f. combi steamer



- Set comprises: 1 plastic canister (5 litres)
1 pump
1 supply hose: canister - pump (150 cm)
1 supply hose: pump - steaming pipe (80 cm)
Installation material
- Important information: -
- Material: Plastic
Metal
- Size: W 325 x D 260 x H 140 mm
- Weight: 0.98 kg

Code-No. 116011
GTIN 4015613595146

Connection kit Silversteam



- Set comprises: 1 frame
1 pipe and holding plate for vapour extraction
1 connection hose
4 feet
Attachment circlips
Screws
- Size frame: W 876 x D 622 x H 114 mm
- Combination possibilities: 5 x 1/1 GN to 5 x 1/1 GN
5 x 1/1 GN to 7 x 1/1 GN
- Material: Stainless steel
- Important information: -

Code-No. 116012
GTIN 4015613607078

Combi steamer M 5110

Add on Products

Extractor hood Silversteam



- Motor Power: 100 m3/h to 540 m3/h
- Power load: 0,1 kW | 230 V | 50 Hz
- Available on request: -
- Lighting: -
- Material filter: Stainless steel
- Including: -
- Lamps (number + watt): -
- Material: Chrome-nickel steel
- Important information: -
- ON/OFF switch: Yes
- Fan regulation: -

Code-No. 116016
GTIN 4015613620503

Base unit Silversteam 2-110



- Type of drawers: Longitudinal
- Number of drawers: 6
- Height adjustable: 400 mm to 450 mm
- Colour: Silver
- Format drawers: 1/1 GN
- Base shelf: No
- Material: Chrome-nickel steel
- Important information: -
- Height-adjustable feet: Yes
- Size: W 850 x D 700 x H 400 mm
- Weight: 14.2 kg

Code-No. 115071
GTIN 4015613617589

Condensation hood Silversteam



- ON/OFF switch: Yes
- Motor Power: 800 m3/h to 1500 m3/h
- Number of fan motors/exhaust air outputs: 1
- Power load: 0,37 kW | 230 V | 50/60 Hz
- Available on request: -
- Lighting: -
- Material filter: Stainless steel
- Lamps (number + watt): -
- Number of filters: 2
- Material: Stainless steel

Code-No. 116019
GTIN 4015613702773

GN container, 1/1, D60, perforated



- Content: 9 litre(s)
- Stackable: Yes
- Design: With perforation (holes)
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Top Line
- Important information: -
- Material: CNS 18/10

Code-No. A101065
GTIN 4016098175229

Combi steamer M 5110

Add on Products

Permanent baking sheet set 60x40



- Important information: -
- Material: Aluminium
PTFE
- Designed for: 1,500 - 2,000 bakes
Ovens, convection ovens and combi steamers
Inserts 600 x 400 mm
- Properties: Temperature resistant: -73 °C to 260 °C
Sheet thickness: 0.125 mm
- Set comprises: 1 permanent baking sheet
1 perforated sheet 600 x 400, perforation: Ø 5 mm

Code-No. 100326
GTIN 4015613711386

Cooking pergament 1/1 GN



- GN-capable: Yes
- Material: Paper
- Important information: -
- Order quantity unit: 1 box (500 sheets)
- Format per sheet: 1/1 GN, W 530 x D 325 mm
- Size: W 530 x D 325 x H 35 mm
- Weight: 3.55 kg

Code-No. 150687
GTIN 4015613711423

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such aluminium
Exclusively available in Germany and Austria

Code-No. 173080
GTIN 4015613731933

Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 200 x D 300 x H 35 mm
- Weight: 0.23 kg

Code-No. A500510
GTIN 4015613735467

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 220 x D 370 x H 35 mm
- Weight: 0.28 kg

Code-No. A500511
GTIN 4015613735474

Oven gloves 420



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 420 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 235 x D 420 x H 35 mm
- Weight: 0.36 kg

Code-No. A500512
GTIN 4015613735481

Oven gloves 600



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 600 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 230 x D 600 x H 35 mm
- Weight: 0.51 kg

Code-No. A500513
GTIN 4015613735498


Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Edge: 4 sides, cover
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.55 kg

Code-No. 100428
GTIN 4015613734767

Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Edge: 4 sides, cover
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.53 kg

Code-No. 100427
GTIN 4015613734750

Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.69 kg

Code-No. 100426
GTIN 4015613734743

Baking tray 600x400-AL



- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Size: W 600 x D 400 x H 20 mm
- Weight: 1.1 kg

Code-No. 100412
GTIN 4015613734699

Combi steamer M 5110

Add on Products

Perforated tray 600x400-AL



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Size: W 600 x D 400 x H 20 mm
- Weight: 0.88 kg

Code-No. 100413
GTIN 4015613734705

Perforated tray 600x400-SI



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Size: W 600 x D 400 x H 15 mm
- Weight: 0.89 kg

Code-No. 100416
GTIN 4015613734712

Toast tongs 100

STAINLESS
STEEL



- Material: Stainless steel
- Important information: -
- Size: W 101 x D 340 x H 70 mm
- Weight: 0.24 kg

Code-No. A151301
GTIN 4015613753119