

Refrig. counter as substruct: 140 SAMPLE



- ▶ Content: 120 litres
- ▶ Number of cupboards: 1
 - ✓ Refrigerated
 - ✓ Inner dimensions: W 388 x D 540 x H 454 mm
 - ✓ Standard format: GN 1/1
- ▶ Number of drawers: 2
 - ✓ Refrigerated
 - ✓ Drawer inner dimensions, each: W 305 x D 520 x H 145 mm
 - ✓ Standard format: GN 1/1

Description

Features

• Power load:	0,507 kW 230 V 50 Hz
• Material:	Chrome-nickel steel
• Size drawer:	W 305 x D 520 x H 145 mm
• Important information:	-
• Height-adjustable feet:	Yes
• Door hinge side:	Right
• Temperature range:	0 °C to 10 °C
• Type of door:	Leaf door(s)
• Control unit:	Electronic
	Knob
• Size Cupboard:	W 388 x D 540 x H 454 mm
• Height adjustable:	625 mm to 660 mm
• Tilting:	-
• Cupboards refrigerated:	Yes
• GWP:	3
• Drawers refrigerated:	Yes
• Climate class:	SN

▶ Continue on the next page

Refrig. counter as substruct: 140 SAMPLE

- Norm-format drawers: 1/1 GN
- Energy efficiency class: D
- Norm-format cabinets: 1/1 GN
- Energy consumption: 1402,6 kWh / an
- Number of drawers: 3
- Cooling: Circulating air
- Coolant: R290 / 0,120 kg
- Distance between trays: 100 mm
- Digital display: Yes
- Depth GN container max.: -
- Drip water evaporation: Yes
- ON/OFF switch: Yes
- Thermostat: Yes
- Material work surface: Chrome-nickel steel
- Including: 1 grille 1/1 GN
- Number of drawers: 2
- Number of doors: 1
- Number of cupboards: 1
- Size: W 1,395 x D 660 x H 620 mm
- Weight: 78.1 kg



Refrig. counter as substruct: 140 SAMPLE

Add on Products

Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first
Do not spray onto hot surfaces
- allow them to cool down first:
- Application: Before use, bring the can to room temperature and shake well

Code-No. 173031
GTIN 4015613360195

Oil and grease remover F1L



- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Order quantity unit: 1 box (6 bottles)

Code-No. 173276
GTIN 4015613761176