

Platform 200 KST Plus



▶ Designed for KST Plus cooking stations

▶ Model: Height 200 mm

Description

For a pleasant cooking experience at an even work height with various appliances in KST Plus cooking stations.

Features

- Important information: -
- Material: CNS 18/10
- Size: W 400 x D 595 x H 200 mm
- Weight: 7.4 kg

Platform 200 KST Plus Add on Products

Countertop electric hob 1K3000 GL



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1
- Control lamp: yes
- Size cerane surface: W 350 x D 350 mm

Code-No. 104906
GTIN 4015613432540

Induction stove 1 CZ, 2,5kW, TU



- Diameter hob(s): 230 mm
- Power load: 2,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1
- Type of hobs: Induction

Code-No. A105942
GTIN 4015613370156

Table top induction stove ITH 35S-220



- Diameter hob(s): 220 mm
- Power load: 3,5 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Number of hobs: 1
- Control lamp: -
- Type of hobs: Induction
- Size cerane surface: W 290 x D 290 mm

Code-No. 105984
GTIN 4015613676623

Induction cooker IK 35TC



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Touch
- Number of hobs: 1

Code-No. 105843
GTIN 4015613633329

Platform 200 KST Plus

Add on Products

Induction cooker IK 35TCS



STAINLESS
STEEL

3,5 kW



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic
Touch
- Number of hobs: 1

Code-No. 105843S
GTIN 4015613638300

Induction cooker IK 35SK 3,5kW



STAINLESS
STEEL

3,5 kW



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Control unit: Electronic
Toggle
- Number of hobs: 1

Code-No. 105837
GTIN 4015613520643