

Cupboard, W1000, SB, SID, IS



Description

Features

Height-adjustable feet: Yes
 Material: Stainless steel
 Load-bearing capacity intermediate shelf, max.: 130 kg

Important information:

• Tilting: 40 mm

• Size inside: W 997 x D 620 x H 580 mm

Load-bearing capacity worktop, max.: 315 kg
 Design inside: 2-partitions
 Available on request: Special production

The list price corresponds to the next higher standard dimension

• Size work surface: W 1000 x D 700 mm

Door hinge side can be changed: No
 Height adjustable: 850 mm to 900 mm

Material work surface:
 Delivery state:
 Type of door:
 Design intermediate shelf:

Stainless steel
Permanently mounted
Sliding door(s)
Full-surface

▶ Continue on the next page







Cupboard, W1000, SB, SID, IS

• Intermediate shelf:

• Size:

yes Yes • Height-adjustable immediate shelves:

Properties:

40 mm edges turned down

Feet in square tubing 40 x 40 mm

Scotch-Brite sanding

W 1,000 x D 700 x H 850 mm

• Weight: 59.2 kg







Cupboard, W1000, SB, SID, IS Add on Products

Stainl.steel polish.spray 500ml can

• Content / can:

· Application:

Remove heavy soiling such as grease residue

Do not spray onto hot surfaces

• allow them to cool down first:

· Application:

Before use, bring the can to room temperature and shake well

Swivel castors 4AW



Swivel casters: 4 swivel casters, 2 with brake

• Important information:

• Diameter casters: 125 mm • Load-bearing capacity max., each: 150 kg

• Material: Stainless steel

Rubber

Code-No. 308242 GTIN 4015613600307

Power cleaner F1L, set of 2



• Designed for: Stubborn dirt, especially in kitchens

Grill and combi steamer cleaning (without

cleaning system)

• Content:

2 x 1 litre

• Model:

Liquid . High concentrate

• Ph level:

13,5

Code-No. 173078 GTIN 4015613731926

GB 04/2024 3/3