

### Refrigerated counter S6-100 MA



- Constant, even refrigeration temperature inside
  - ✓ Cooling: Circulating air
  - ✓ Temperature control in 0.1°C steps
- Six drawers
  - ✓ Refrigerated Gastronorm: 1/1 GN
  - ✓ Max. depth of GN containers: 100 mm
- ▶ With upturned edge
- √ 50 mm

### Description

One appliance, two uses: The convection cooling ensures a constant, even refrigeration temperature inside this six-drawer refrigerated counter. Thanks to its high-quality and robust stainless steel surface, the appliance can be integrated perfectly into any kitchen and can also be used as a work surface.

#### **Features**

• Material:

• Power load:

• Important information:

• Height-adjustable feet:

Temperature range:
 Temperature control:

• Temperature control:

• Control unit:

· Control lamp:

· Height adjustable:

• Tilting:

GWP:

• Climate class:

• Energy efficiency class:

• Energy consumption:

· Cooling:

Chrome-nickel steel 0,35 kW | 230 V | 50 Hz

Yes

0 °C to 10 °C Electronic In 0.1 °C steps

Knob Electronic ON/OFF

850 mm to 900 mm

50 mm 3

D (EU No. 2015 / 1094)

1109 kWh / an Circulating air

▶ Continue on the next page







# Refrigerated counter S6-100 MA

• Coolant: R600a / 0,096 kg

Digital display: Yes
Depth GN container max.: 100 mm
Drip water evaporation: Yes
ON/OFF switch: Yes
Thermostat: Yes
Material work surface: Stainless steel

• Including:

• Available on request: Refrigerated counter with swivel castors

Number of drawers:

• Size drawer: W 299 x D 572 x H 110 mm

• Drawers refrigerated: Yes

• Norm-format drawers: 1/1 GN

• Size: W 1,342 x D 700 x H 850 mm

• Weight: 132 kg







## Refrigerated counter S6-100 MA **Add on Products**



