

Convection baking oven HC6040-10




Description

Steam generation perfectly tailored for the baked goods: Either via the external steam box or via direct injection - the AirFresh Box of the convection oven ensures a crispy exterior by quickly reducing the humidity. The multi-selection toggle switch with multi-coloured LED lighting enables intuitive operation with an additional visual signal.


Features

- Steam-box power: 3 kW
- Material baking chamber: Stainless steel
- Heating type: Convection
- Format drawers: 600 x 400 mm
- Type of drawers: Crosswise
- Number of drawers: 10
- Distance between trays: 85 mm
- Temperature range to: 250 °C
- Temperature control: In 1 °C steps
- Heating output: 2 x 9,55 kW
- Number of programs: 15 pre-installed programs
84 programmable manually adjustable program
- Number of baking phases: 6

▶ Continue on the next page



▶ 10 shelves 600 x 400 mm



- ▶ 99 programs
- ▶ 6 baking phases
- ▶ 6 parameters



- ▶ Steam generator: Choice of internal or external
 - ✓ Direct injection
 - ✓ External steam box



▶ AirFresh box

Convection baking oven HC6040-10



- Parameters per baking phase:
 - Baking temperature
 - Baking time
 - Steaming intensity
 - Fan speed
 - Vapour extractor
 - Pre-heating
- Steaming:
 - Set in the program
 - Manual
 - Manual selection of the steaming system
- Steam generators:
 - Direct injection
 - External steam-box
- AirFresh box:
 - Yes
- Time setting:
 - 1 to 99 minutes
 - Continuous operation
 - Manual baking time extension
- Automatic switch-on via timer:
 - Yes
- Automatic pre-heating:
 - Yes
- Automatic cooling:
 - Yes
- Fan speed:
 - 10 levels
- With cleaning system:
 - Yes
- Number of fans:
 - 1
- Reversing motor direction:
 - Yes
- USB connection:
 - Yes
- Interior lighting:
 - In the door
 - LED
- Control unit:
 - Multi-selective toggle with LED lighting
 - Touch
- Display:
 - Date and time
 - LCD, 7 inches
 - Programs
 - Cleaning
 - Timer settings
- Series:
 - HC
- Equipment connection:
 - 3 NAC
- Properties:
 - Bearing rails and rear wall can be detached
 - Double-winged door pane
 - Consistent results when the baking chamber is full
 - Fan stop after steaming process
 - Programs from other devices can be imported
 - Programs with all parameters can be copied within the menu
 - Fast change of fan direction
- Including:
 -
- Power load:
 - 20,3 kW | 400 V | 50/60 Hz
- Material:
 - Stainless steel
- Important information:
 - The LBO20 installation kit is required for individual device operation (the corresponding installation kit must be selected for the combined device configuration)
 - Upstream connection of a water softener is always required
 - A pressure reducer is required from a water pressure of 3,5 bar
 - 31 / 2022
- Estimated delivery time from our warehouse in Salzkotten, Germany is week:
 -
- Water connection:
 - R3/4"
- Size:
 - W 980 x D 900 x H 1,130 mm
- Weight:
 - 210 kg

Convection baking oven HC6040-10

Add on Products

Oven gloves 300



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500510
GTIN 4015613735467

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500511
GTIN 4015613735474

Oven gloves 420



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500512
GTIN 4015613735481

Oven gloves 600



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500513
GTIN 4015613735498

Convection baking oven HC6040-10

Add on Products

Installation kit LBO20



- Set comprises:
 - Condensate collection box
 - Condensate hoses
 - Installation materials
 - Water drainage hoses
 - Water supply pressure gauge
 - Water supply hoses
 - Vapour extractor

Code-No. 117923
GTIN 4015613771762

Power cleaner F1L, set of 2



- Designed for:
 - Stubborn dirt, especially in kitchens
 - Grill and combi steamer cleaning (without cleaning system)
- Content:
 - 2 x 1 litre
- Model:
 - Liquid
 - High concentrate
- Ph level:
 - 13,5

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit:
 - 1 box (2 bottles)
- Content:
 - 2 x 1 litre
- Ph level:
 - 14
- HACCP compliant:
 - Yes
- Chlorine-free:
 - Yes
- Phosphate-free:
 - Yes

Code-No. 173080
GTIN 4015613731933

Stainl.steel polish.spray 500ml can



- Content / can:
 - 500 ml
- Application:
 - Remove heavy soiling such as grease residue first
 - Do not spray onto hot surfaces
- allow them to cool down first:

Code-No. 173031
GTIN 4015613360195

Convection baking oven HC6040-10

Add on Products

Base frame LBO6040-5

STAINLESS STEEL




- Material: Stainless steel
- Height-adjustable feet: No
- Format drawers: 600 x 400 mm
- Base shelf: No
- Number of drawers: 5
- Important information: Designed for: Convection ovens MC, convection ovens HC, deck oven CL6040-1

Code-No. 117930
GTIN 4015613796413

Base frame LBO6040-4

STAINLESS STEEL




- Format drawers: 600 x 400 mm
- Height-adjustable feet: No
- Material: Stainless steel
- Number of drawers: 4
- Base shelf: No
- Important information: Designed for: Convection ovens MC, convection ovens HC, deck oven CL6040-1

Code-No. 117931
GTIN 4015613769967

Base frame LBO6040-3

STAINLESS STEEL



- Format drawers: 600 x 400 mm
- Height-adjustable feet: No
- Material: Stainless steel
- Number of drawers: 3
- Base shelf: No
- Important information: Designed for: Convection ovens MC, convection ovens HC, deck oven CL6040-1

Code-No. 117932
GTIN 4015613796420

Installation kit LBO50



- Set comprises:
 - Condensate collection box
 - Condensate hoses
 - Installation materials
 - Water drainage hoses
 - Water supply pressure gauge
 - Water supply hoses
 - Vapour extractor

Code-No. 117937
GTIN 4015613796505

Convection baking oven HC6040-10

Add on Products

Rolling base MCHC2300



- Height-adjustable feet: No
- Material: Stainless steel
- Base shelf: No
- Important information: Designed for: Convection ovens MC, convection ovens HC
- Colour: Silver

Code-No. 117939
GTIN 4015613804903

Condensation hood LBO800



- Number of fan motors: 2
- Flame protection filter: No
- Number of filters: 0
- Material filter: -
- ON/OFF switch: No
- Important information: -
- Assembly type: Top of appliance

Code-No. 117940
GTIN 4015613769974

Baking tray 600x400-AL



- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100412
GTIN 4015613734699

Perforated tray 600x400-SI



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100416
GTIN 4015613734712

Convection baking oven HC6040-10

Add on Products

Grease drip container 600 x 400

STAINLESS
STEEL



- Bakery norm: 600 x 400 mm
- Material: Stainless steel
- Important information: -
- Size: W 605 x D 405 x H 45 mm
- Weight: 2.8 kg

Code-No. 525782
GTIN 4015613658414

Baking spray 500ml



- Content / can: 500 ml
- Material: 100 % vegetable oils
- Designed for: Greasing forms, baking trays, pans and waffle irons
- Important information: -
- Order quantity unit: 1 box of 6 cans (Minimum order quantity 2 boxes)

Code-No. 173060
GTIN 4015613498508

Perforated tray 600x400-AL



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100413
GTIN 4015613734705

Partial desalination system TKD 13400 FB



- Desalination type: Partial desalination
- Water connection: 3/4"
- Material: Plastic
Glass-fibre reinforced
- Sampling tap: Yes
- Colour: Blue
- Important information: -

Code-No. 109878
GTIN 4015613681597

Convection baking oven HC6040-10

Add on Products

Baking tray 600x400-ALB



- Material: Non stick coating
Aluminium
- Perforation: No
- Material thickness: 2 mm
- Important information: -
- Edge: 4 sides
- Silicone coating: No

Code-No. 100439
GTIN 4015613863511

Perforated tray 600x400-ALB



- Perforation: Yes
- Material: Aluminium
Non stick coating
- Material thickness: 2 mm
- Important information: -
- Edge: 4 sides
- Silicone coating: No

Code-No. 100438
GTIN 4015613863504