

## Refrigerated counter T2 MA



- ▶ Constant, even refrigeration temperature inside
  - ✓ Cooling: Circulating air
  - ✓ Temperature control in 0.1°C steps
- ▶ Two doors
  - ✓ Standard format cupboards: 1/1 GN
  - ✓ Height of shelves can be adjusted
- ▶ With upturned edge
  - ✓ 50 mm

### Description

One appliance, two uses: The convection cooling ensures a constant, even refrigeration temperature inside this double-door refrigerated counter. Thanks to its high-quality and robust stainless steel surface, the appliance can be integrated perfectly into any kitchen and can also be used as a work surface.

### Features

• Power load:	0,35 kW   230 V   50 Hz
• Material:	Chrome-nickel steel
• Number of cupboards:	2
• Important information:	-
• Size Cupboard:	W 335 x D 570 x H 554 mm
• Height-adjustable feet:	Yes
• Temperature range:	0 °C to 10 °C
• Norm-format cabinets:	1/1 GN
• Cupboards refrigerated:	Yes
• Temperature control:	In 0.1 °C steps
	Electronic
• Number of drawers:	2
• Control unit:	Electronic
	Knob
• Distance between trays:	70 mm
• Control lamp:	ON/OFF
• Height adjustable:	850 mm to 900 mm

▶ Continue on the next page

## Refrigerated counter T2 MA

• Number of doors:	2
• Type of door:	Leaf door(s)
• Tilting:	50 mm
• Door hinge side:	Left / right
• Door hinge side can be changed:	Yes
• GWP:	3
• Climate class:	4
• Height-adjustable drawers:	Yes
• Energy efficiency class:	C (EU No. 2015 / 1094)
• Energy consumption:	956 kWh / an
• Cooling:	Circulating air
• Coolant:	R600a / 0,064 kg
• Digital display:	Yes
• Depth GN container max.:	-
• Drip water evaporation:	Yes
• ON/OFF switch:	Yes
• Thermostat:	Yes
• Material work surface:	Stainless steel
• Including:	2 grilles (W 325 x D 530 x H 10 mm)
• Available on request:	Refrigerated counter with glass-doors Refrigerated counter with swivel castors
• Size:	W 1,342 x D 700 x H 850 mm
• Weight:	96 kg



## Refrigerated counter T2 MA Add on Products

### Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first  
Do not spray onto hot surfaces
- allow them to cool down first:

Code-No. 173031  
GTIN 4015613360195

### Oil and grease remover F1L



- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Order quantity unit: 1 box (6 bottles)

Code-No. 173276  
GTIN 4015613761176